

Box 553
924 W. Monroe
Sullivan, IL 61951
Ph: 217-728-7413
Fax: 217-728-2543

13343 Fitschen Road
Athens, IL 62613
Ph: 217-636-7500
Fax: 217-636-7548
Email: istc1@sbcglobal.net

Send To:
MAN PLAN INC
8810 BUCKHART ROAD
ROCHESTER, IL 62563



Report Date:
11/15/2010
Report Number:
1005866
Operator:
DECLERCK BROS

Farm: SPIVEY-SOUTH
Field: SS
Acres: 0.00

Soil Analysis Report												
Sample Number	Lab Number	Organic Matter % ENR (ppm)	Phosphorus	Potassium	Magnesium	Calcium	pH		Cation Exchange Capacity	Percent Base Saturation (computed)		
			P (lbs)	K (lbs)	Mg (lbs)	Ca (lbs)	Soil pH	Buffer pH		% K	%Mg	% Ca
1	10084775	2.9	45	238	825	5069	6.2	6.9	17.4	1.8	19.7	72.8
2	10084776	2.7	53	354	920	4034	5.7	6.5	17.9	2.5	21.4	56.4
3	10084777	2.6	34	280	1202	4824	6.1	6.9	18.1	2.0	27.6	66.5
4	10084778	2.8	54	365	899	3703	5.3	6.1	19.8	2.4	18.9	46.8
5	10084779	2.9	50	375	647	4001	5.6	6.4	17.4	2.8	15.5	57.6
6	10084780	2.7	31	317	928	4184	5.6	6.4	18.9	2.1	20.4	55.2
7	10084781	2.3	126	251	1733	5045	6.7	7.0	20.7	1.6	35.0	61.1
8	10084782	2.8	73	207	808	4921	6.4	7.0	16.4	1.6	20.5	74.9
9	10084783	2.9	23	169	870	4644	6.4	7.0	16.0	1.4	22.7	72.8
10	10084784	2.7	27	177	761	3371	5.9	6.7	13.9	1.6	22.8	60.5

Field Average:	2.7	66	304	1117	4503	6.2	6.7
----------------	-----	----	-----	------	------	-----	-----

[illegible]

Box 553
924 W. Monroe
Sullivan, IL 61951
Ph: 217-728-7413
Fax: 217-728-2543

13343 Fitschen Road
Athens, IL 62613
Ph: 217-636-7500
Fax: 217-636-7548
Email: istc1@sbcglobal.net

Send To:
MAN PLAN INC
8810 BUCKHART ROAD
ROCHESTER, IL 62563



Report Date:
11/15/2010
Report Number:
1005866
Operator:
DECLERCK BROS

Farm: SPIVEY-SOUTH
Field: SS
Acres: 0.00

Soil Analysis Report												
Sample Number	Lab Number	Organic Matter % ENR (ppm)	Phosphorus	Potassium	Magnesium	Calcium	pH		Cation Exchange Capacity	Percent Base Saturation (computed)		
			P (lbs)	K (lbs)	Mg (lbs)	Ca (lbs)	Soil pH	Buffer pH		% K	%Mg	% Ca
11	10084785	2.8	154	296	792	3057	5.4	6.2	16.9	2.2	19.5	45.2
12	10084786	2.7	92	311	989	4146	6.5	7.0	15.4	2.6	26.8	67.4
13	10084787	2.6	55	282	1373	5413	7.5	7.0	19.6	1.8	29.2	69.0
14	10084788	2.2	48	278	1474	5159	6.5	7.0	19.9	1.8	30.9	64.8
15	10084789	2.7	105	419	793	3602	5.3	6.1	19.1	2.8	17.3	47.0
16	10084790	2.9	153	380	799	4163	5.6	6.4	18.4	2.6	18.1	56.5
17	10084791	2.9	211	474	837	3855	5.5	6.3	18.6	3.3	18.7	51.7
18	10084792	2.6	49	296	812	4028	5.7	6.5	17.3	2.2	19.5	58.1
19	10084793	2.5	78	323	899	3880	6.2	6.9	14.9	2.8	25.2	65.3
20	10084794	2.6	82	353	1133	4524	6.5	7.0	17.0	2.7	27.8	66.6

Field Average:	2.7	66	304	1117	4503	6.2	6.7
----------------	-----	----	-----	------	------	-----	-----

[illegible]

Box 553
924 W. Monroe
Sullivan, IL 61951
Ph: 217-728-7413
Fax: 217-728-2543

13343 Fitschen Road
Athens, IL 62613
Ph: 217-636-7500
Fax: 217-636-7548
Email: istc1@sbcglobal.net

Send To:
MAN PLAN INC
8810 BUCKHART ROAD
ROCHESTER, IL 62563



Report Date:
11/15/2010
Report Number:
1005866
Operator:
DECLERCK BROS

Farm:
SPIVEY-SOUTH
Field:
SS
Acres:
0.00

Soil Analysis Report												
Sample Number	Lab Number	Organic Matter ENR (ppm)	Phosphorus	Potassium	Magnesium	Calcium	pH		Cation Exchange Capacity	Percent Base Saturation (computed)		
			P (lbs)	K (lbs)	Mg (lbs)	Ca (lbs)	Soil pH	Buffer pH		% K	%Mg	% Ca
21	10084795	2.9	66	288	1052	5333	6.5	7.0	18.6	2.0	23.6	71.7
22	10084796	2.9	66	280	1165	5219	6.5	7.0	18.8	1.9	25.9	69.5
23	10084797	2.3	38	357	1700	4921	5.8	6.7	21.9	2.1	32.3	56.1
24	10084798	2.3	48	253	1953	5915	7.2	7.0	23.2	1.4	35.0	63.6
25	10084799	2.8	96	412	1437	5521	7.1	7.0	20.3	2.6	29.5	67.9
26	10084800	2.7	86	292	1433	5223	7.6	7.0	19.4	1.9	30.8	67.3
27	10084801	2.7	153	365	1154	4535	6.4	7.0	17.1	2.7	28.1	66.2
28	10084802	2.4	108	302	1517	5064	6.1	6.9	20.4	1.9	31.0	62.2
29	10084803	2.8	72	428	782	3450	5.5	6.3	17.3	3.2	18.8	49.8
30	10084804	2.5	114	350	1368	4568	5.8	6.7	19.7	2.3	29.0	58.1

Field Average:	2.7	66	304	1117	4503	6.2	6.7
----------------	-----	----	-----	------	------	-----	-----

[illegible]

INGRAM'S SOIL TESTING CENTER

Box 553
 924 W. Monroe
 Sullivan, IL 61951
 Ph: 217-728-7413
 Fax: 217-728-2543

13343 Fitschen Road
 Athens, IL 62613
 Ph: 217-636-7500
 Fax: 217-636-7548
 Email: istc1@sbcglobal.net



Report Date:
 11/15/2010
 Report Number:
 1005866
 Operator:
 DECLERCK BROS

Send To:
 MAN PLAN INC
 8810 BUCKHART ROAD
 ROCHESTER, IL 62563

Farm:
 SPIVEY-SOUTH
 Field:
 SS
 Acres:
 0.00

SOIL ANALYSIS REPORT

Sample Number	Lab Number	Organic Matter % ENR (ppm)	Phosphorus	Potassium	Magnesium	Calcium	pH		Cation Exchange Capacity	Percent Base Saturation (computed)		
			P (lbs)	K (lbs)	Mg (lbs)	Ca (lbs)	Soil pH	Buffer pH		% K	%Mg	% Ca
31	10084805	2.6	99	396	1254	4855	6.2	6.9	18.9	2.7	27.7	64.3
32	10084806	2.8	56	262	778	3787	6.1	6.9	13.7	2.4	23.6	68.9
33	10084807	2.4	29	299	1242	3677	5.9	6.8	16.2	2.4	32.0	56.9
34	10084808	2.5	24	277	1505	4718	6.5	7.0	18.9	1.9	33.1	62.3
35	10084809	2.6	42	350	1256	5191	5.8	6.6	21.5	2.1	24.4	60.5

Field Average: 2.7 66 304 1117 4503 6.2 6.7

							Average Fertility Level					
Sample Number	Sulfur (ppm)	Boron (ppm)	Zinc (ppm)	Manganese (ppm)	Iron (ppm)	Copper (ppm)	Element	Very Low	Low	Medium	High	Very High
31							Organic Matter					
32							Phosphorus				66	
33							Potassium			304		
34							Magnesium					
35							Calcium					
							ENR					
							pH			6.2		

[illegible]

Box 553
924 W. Monroe
Sullivan, IL 61951
Ph: 217-728-7413
Fax: 217-728-2543

13343 Fitschen Road
Athens, IL 62613
Ph: 217-636-7500
Fax: 217-636-7548
Email: istc1@sbcglobal.net

Send To:
MAN PLAN INC
8810 BUCKHART ROAD
ROCHESTER, IL 62563



Report Date:
11/15/2010
Report Number:
1005867
Operator:
DECLERCK BROS

Farm: SPIVEY-NORTH
Field: SN
Acres: 0.00

Soil Analysis Report												
Sample Number	Lab Number	Organic Matter ENR (ppm)	Phosphorus	Potassium	Magnesium	Calcium	pH		Cation Exchange Capacity	Percent Base Saturation (computed)		
			P (lbs)	K (lbs)	Mg (lbs)	Ca (lbs)	Soil pH	Buffer pH		% K	%Mg	% Ca
11	10084820	2.5	29	273	1715	4845	6.2	6.9	20.6	1.7	34.7	58.8
12	10084821	2.4	37	288	1279	4621	6.1	6.9	18.2	2.0	29.2	63.3
13	10084822	2.8	58	311	1015	4917	5.7	6.5	20.4	2.0	20.7	60.2
14	10084823	2.9	350	260	770	4872	5.8	6.6	18.5	1.8	17.3	65.8
15	10084824	2.4	58	277	1388	3867	5.4	6.3	20.7	1.7	27.9	46.7
16	10084825	2.6	83	375	887	3564	5.1	5.9	20.8	2.3	17.8	42.9
17	10084826	3.0	52	341	678	4062	5.6	6.4	17.6	2.5	16.0	57.6
18	10084827	2.8	68	414	1154	4342	5.4	6.2	21.8	2.4	22.1	49.8
19	10084828	2.5	33	244	1278	3986	5.7	6.6	18.4	1.7	28.9	54.2
20	10084829	2.6	32	289	1402	3973	5.7	6.5	19.6	1.9	29.7	50.6

Field Average:	2.7	43	269	1032	4629	5.8	6.6
----------------	-----	----	-----	------	------	-----	-----

[illegible]

Box 553
924 W. Monroe
Sullivan, IL 61951
Ph: 217-728-7413
Fax: 217-728-2543

13343 Fitschen Road
Athens, IL 62613
Ph: 217-636-7500
Fax: 217-636-7548
Email: istc1@sbcglobal.net



Report Date:
11/15/2010
Report Number:
1005868
Operator:
DECLERCK BROS

Farm:
DECLERCK BROS
Field:
B NORTH
Acres:
0.00

[illegible]

Box 553
924 W. Monroe
Sullivan, IL 61951
Ph: 217-728-7413
Fax: 217-728-2543

13343 Fitschen Road
Athens, IL 62613
Ph: 217-636-7500
Fax: 217-636-7548
Email: istc1@sbcglobal.net



Report Date:
11/15/2010
Report Number:
1005868
Operator:
DECLERCK BROS

Farm:
DECLERCK BROS

Field:
B NORTH

Acres:
0.00

Soil Analysis Report												
Sample Number	Lab Number	Organic Matter ENR (ppm)	Phosphorus	Potassium	Magnesium	Calcium	pH		Cation Exchange Capacity	Percent Base Saturation (computed)		
			P (lbs)	K (lbs)	Mg (lbs)	Ca (lbs)	Soil pH	Buffer pH		% K	%Mg	% Ca
11	10084840	3.0	99	653	719	4541	5.9	6.7	17.3	4.8	17.3	65.7
12	10084841	2.7	167	546	1146	5449	5.9	6.7	21.2	3.3	22.5	64.3
13	10084842	2.6	63	282	1300	5628	6.9	7.0	20.3	1.8	26.6	69.1
14	10084843	2.4	253	325	1317	4594	6.6	7.0	17.9	2.3	30.7	64.2
15	10084844	2.6	147	458	1227	5626	6.3	6.9	20.8	2.8	24.6	67.7
16	10084845	2.8	180	453	898	4989	6.0	6.8	18.2	3.2	20.6	68.5
17	10084846	2.6	71	299	1267	5615	6.4	7.0	20.2	1.9	26.1	69.5
18	10084847	2.7	71	464	1185	5787	6.5	7.0	20.5	2.9	24.1	70.6
19	10084848	2.8	75	378	960	5119	6.4	7.0	17.8	2.7	22.5	72.0
20	10084849	2.3	167	341	1389	5318	6.6	7.0	20.0	2.2	28.9	66.4

Field Average:	2.6	114	356	1188	5237	6.2	6.8
----------------	-----	-----	-----	------	------	-----	-----

[illegible]

INGRAM'S SOIL TESTING CENTER

Box 553
 924 W. Monroe
 Sullivan, IL 61951
 Ph: 217-728-7413
 Fax: 217-728-2543

13343 Fitschen Road
 Athens, IL 62613
 Ph: 217-636-7500
 Fax: 217-636-7548
 Email: istc1@sbcglobal.net



Report Date:
 11/15/2010
 Report Number:
 1005868
 Operator:
 DECLERCK BROS

Send To:
 MAN PLAN INC
 8810 BUCKHART ROAD
 ROCHESTER, IL 62563

Farm:
 DECLERCK BROS
 Field:
 B NORTH
 Acres:
 0.00

SOIL ANALYSIS REPORT

Sample Number	Lab Number	Organic Matter % ENR (ppm)	Phosphorus	Potassium	Magnesium	Calcium	pH		Cation Exchange Capacity	Percent Base Saturation (computed)		
			P (lbs)	K (lbs)	Mg (lbs)	Ca (lbs)	Soil pH	Buffer pH		% K	%Mg	% Ca
21	10084850	2.4	167	274	1041	4661	6.0	6.9	17.0	2.1	25.5	68.4
22	10084851	2.4	27	216	1418	4281	5.9	6.8	18.3	1.5	32.3	58.5
23	10084852	2.2	25	213	1777	5103	6.5	7.0	20.9	1.3	35.4	60.9
24	10084853	2.9	52	311	918	4676	6.2	6.9	16.9	2.4	22.6	69.1

Field Average: 2.6 114 356 1188 5237 6.2 6.8

							Average Fertility Level					
Sample Number	Sulfur (ppm)	Boron (ppm)	Zinc (ppm)	Manganese (ppm)	Iron (ppm)	Copper (ppm)	Element	Very Low	Low	Medium	High	Very High
21							Organic Matter					
22							Phosphorus					114
23							Potassium				356	
24							Magnesium					
							Calcium					
							ENR					
							pH			6.2		

Box 553
924 W. Monroe
Sullivan, IL 61951
Ph: 217-728-7413
Fax: 217-728-2543

13343 Fitschen Road
Athens, IL 62613
Ph: 217-636-7500
Fax: 217-636-7548
Email: istc1@sbcglobal.net

Send To:
MAN PLAN INC
8810 BUCKHART ROAD
ROCHESTER, IL 62563



Report Date:
11/15/2010
Report Number:
1005869
Operator:
DECLERCK BROS

Farm:
DECLERCK BROS
Field:
B SOUTH
Acres:
0.00

Soil Analysis Report												
Sample Number	Lab Number	Organic Matter % ENR (ppm)	Phosphorus	Potassium	Magnesium	Calcium	pH		Cation Exchange Capacity	Percent Base Saturation (computed)		
			P (lbs)	K (lbs)	Mg (lbs)	Ca (lbs)	Soil pH	Buffer pH		% K	%Mg	% Ca
1	10084854	2.4	348	328	1837	6308	6.5	7.0	24.3	1.7	31.4	64.8
2	10084855	2.5	111	435	1045	3912	6.1	6.9	15.7	3.6	27.8	62.3
3	10084856	2.6	236	287	1405	5259	6.8	7.0	19.9	1.9	29.5	66.2
4	10084857	2.8	149	527	1065	4475	6.1	6.9	17.0	4.0	26.1	65.8
5	10084858	2.6	110	365	1441	5223	6.7	7.0	20.0	2.3	30.0	65.2
6	10084859	2.7	312	328	1805	5282	6.2	6.9	22.1	1.9	34.0	59.6
7	10084860	2.9	276	698	887	4254	6.1	6.9	15.9	5.6	23.2	66.8
8	10084861	2.8	536	862	816	4710	6.0	6.8	17.7	6.2	19.2	66.6
9	10084862	2.6	78	496	1693	4856	6.1	6.9	20.5	3.1	34.4	59.1
10	10084863	2.7	196	516	929	4076	6.2	6.9	15.7	4.2	24.6	64.8

Field Average:	2.7	133	339	1173	4844	6.4	6.9
----------------	-----	-----	-----	------	------	-----	-----

[illegible]

INGRAM'S SOIL TESTING CENTER

Box 553
 924 W. Monroe
 Sullivan, IL 61951
 Ph: 217-728-7413
 Fax: 217-728-2543

13343 Fitschen Road
 Athens, IL 62613
 Ph: 217-636-7500
 Fax: 217-636-7548
 Email: istc1@sbcglobal.net



Report Date:
 11/15/2010
 Report Number:
 1005869
 Operator:
 DECLERCK BROS

Send To:
 MAN PLAN INC
 8810 BUCKHART ROAD
 ROCHESTER, IL 62563

Farm:
 DECLERCK BROS
 Field:
 B SOUTH
 Acres:
 0.00

SOIL ANALYSIS REPORT

Sample Number	Lab Number	Organic Matter % ENR (ppm)	Phosphorus	Potassium	Magnesium	Calcium	pH		Cation Exchange Capacity	Percent Base Saturation (computed)		
			P (lbs)	K (lbs)	Mg (lbs)	Ca (lbs)	Soil pH	Buffer pH		% K	%Mg	% Ca
11	10084864	2.8	194	391	905	4414	6.2	6.9	16.3	3.1	23.1	67.7
12	10084865	2.6	165	246	1371	4712	6.3	6.9	18.8	1.7	30.4	62.6
13	10084866	2.8	109	439	1056	4473	5.6	6.4	20.3	2.8	21.6	55.0
14	10084867	2.6	146	412	1266	5214	6.5	7.0	19.3	2.7	27.3	67.4
15	10084868	2.4	235	284	1473	4777	6.7	7.0	18.9	1.9	32.4	63.0
16	10084869	2.8	63	325	953	4912	6.7	7.0	17.2	2.4	23.1	71.5
17	10084870	2.6	23	256	1427	5782	6.1	6.9	21.4	1.5	27.7	67.5
18	10084871	2.6	28	267	1149	5159	6.0	6.8	19.4	1.8	24.6	66.4
19	10084872	2.9	99	353	936	4843	6.9	7.0	17.0	2.7	23.0	71.4
20	10084873	2.4	40	273	1005	5476	6.8	7.0	18.7	1.9	22.4	73.1

Field Average: 2.7 133 339 1173 4844 6.4 6.9

							Average Fertility Level					
Sample Number	Sulfur (ppm)	Boron (ppm)	Zinc (ppm)	Manganese (ppm)	Iron (ppm)	Copper (ppm)	Element	Very Low	Low	Medium	High	Very High
11							Organic Matter					
12							Phosphorus					133
13							Potassium			339		
14							Magnesium					
15							Calcium					
16							ENR					
17							pH			6.4		
18												
19												
20												

INGRAM'S SOIL TESTING CENTER

Box 553
 924 W. Monroe
 Sullivan, IL 61951
 Ph: 217-728-7413
 Fax: 217-728-2543

13343 Fitschen Road
 Athens, IL 62613
 Ph: 217-636-7500
 Fax: 217-636-7548
 Email: istc1@sbcglobal.net



Report Date:
 11/15/2010
 Report Number:
 1005869
 Operator:
 DECLERCK BROS

Send To:
 MAN PLAN INC
 8810 BUCKHART ROAD
 ROCHESTER, IL 62563

Farm:
 DECLERCK BROS
 Field:
 B SOUTH
 Acres:
 0.00

SOIL ANALYSIS REPORT

Sample Number	Lab Number	Organic Matter % ENR (ppm)	Phosphorus	Potassium	Magnesium	Calcium	pH		Cation Exchange Capacity	Percent Base Saturation (computed)		
			P (lbs)	K (lbs)	Mg (lbs)	Ca (lbs)	Soil pH	Buffer pH		% K	%Mg	% Ca
21	10084874	2.9	34	306	717	3656	6.4	7.0	13.0	3.0	22.9	70.2
22	10084875	2.7	54	217	1047	3851	7.1	7.0	14.3	1.9	30.6	67.5
23	10084876	2.6	284	274	1169	5767	6.8	7.0	20.1	1.7	24.2	71.6
24	10084877	2.8	162	323	755	4864	6.7	7.0	16.2	2.6	19.4	75.0

Field Average: 2.7 133 339 1173 4844 6.4 6.9

							Average Fertility Level					
Sample Number	Sulfur (ppm)	Boron (ppm)	Zinc (ppm)	Manganese (ppm)	Iron (ppm)	Copper (ppm)	Element	Very Low	Low	Medium	High	Very High
21							Organic Matter					
22							Phosphorus					133
23							Potassium			339		
24							Magnesium					
							Calcium					
							ENR					
							pH			6.4		

Box 553
924 W. Monroe
Sullivan, IL 61951
Ph: 217-728-7413
Fax: 217-728-2543

13343 Fitschen Road
Athens, IL 62613
Ph: 217-636-7500
Fax: 217-636-7548
Email: istc1@sbcglobal.net

Send To:
MAN PLAN INC
8810 BUCKHART ROAD
ROCHESTER, IL 62563



Report Date:
11/15/2010
Report Number:
1005870
Operator:
DECLERCK BROS

Farm:
DECLERCK BROS
Field:
B PATCHES
Acres:
0.00

Soil Analysis Report												
Sample Number	Lab Number	Organic Matter ENR (ppm)	Phosphorus	Potassium	Magnesium	Calcium	pH		Cation Exchange Capacity	Percent Base Saturation (computed)		
			P (lbs)	K (lbs)	Mg (lbs)	Ca (lbs)	Soil pH	Buffer pH		% K	%Mg	% Ca
1	10084878	2.7	344	470	1190	6779	6.8	7.0	23.0	2.6	21.5	73.7
2	10084879	2.6	95	362	1265	5582	6.9	7.0	20.2	2.3	26.1	69.1
3	10084880	2.7	249	417	1398	6713	7.0	7.0	23.1	2.3	25.2	72.5
4	10084881	2.8	155	335	1125	5873	7.1	7.0	19.8	2.2	23.7	74.2
5	10084882	2.8	258	417	1075	5449	6.8	7.0	19.1	2.8	23.4	71.2
6	10084883	2.9	630	571	963	6684	6.7	7.0	22.0	3.3	18.3	76.1
7	10084884	3.0	329	379	962	6789	6.4	7.0	22.0	2.2	18.2	77.3
8	10084885	2.9	137	332	1037	6173	6.5	7.0	20.7	2.1	20.9	74.6
9	10084886	3.2	80	281	795	5286	6.9	7.0	17.4	2.1	19.0	76.0
10	10084887	3.1	70	367	628	4060	6.4	7.0	13.7	3.4	19.1	73.9

Field Average:	2.9	149	353	1044	5939	6.8	7.0
----------------	-----	-----	-----	------	------	-----	-----

[illegible]

Box 553
924 W. Monroe
Sullivan, IL 61951
Ph: 217-728-7413
Fax: 217-728-2543

13343 Fitschen Road
Athens, IL 62613
Ph: 217-636-7500
Fax: 217-636-7548
Email: istc1@sbcglobal.net

Send To:
MAN PLAN INC
8810 BUCKHART ROAD
ROCHESTER, IL 62563



Report Date:
11/15/2010
Report Number:
1005871
Operator:
DECLERCK BROS

Farm: DECLERCK BROS
Field: A
Acres: 0.00

Soil Analysis Report												
Sample Number	Lab Number	Organic Matter % ENR (ppm)	Phosphorus	Potassium	Magnesium	Calcium	pH		Cation Exchange Capacity	Percent Base Saturation (computed)		
			P (lbs)	K (lbs)	Mg (lbs)	Ca (lbs)	Soil pH	Buffer pH		% K	%Mg	% Ca
1	10084888	2.8	73	464	968	7193	7.0	7.0	22.6	2.6	17.8	79.5
2	10084889	2.4	61	315	1008	6755	7.3	7.0	21.5	1.9	19.6	78.6
3	10084890	2.9	56	299	885	5920	7.2	7.0	18.9	2.0	19.5	78.4
4	10084891	3.2	75	452	710	5945	6.5	7.0	18.9	3.1	15.6	78.6
5	10084892	3.1	73	396	599	6965	6.3	6.9	21.4	2.4	11.7	81.3
6	10084893	3.0	73	438	663	7744	7.0	7.0	22.7	2.5	12.2	85.3
7	10084894	3.0	125	439	644	6737	6.9	7.0	20.6	2.7	13.0	81.8
8	10084895	3.1	164	352	537	5981	6.3	6.9	18.6	2.4	12.0	80.2
9	10084896	3.0	205	435	1054	7374	7.0	7.0	23.4	2.4	18.8	78.8
10	10084897	2.9	115	351	866	5776	6.5	7.0	19.0	2.4	19.0	76.0

Field Average:	2.9	155	430	875	6575	6.7	7.0
----------------	-----	-----	-----	-----	------	-----	-----

[illegible]

Box 553
924 W. Monroe
Sullivan, IL 61951
Ph: 217-728-7413
Fax: 217-728-2543

13343 Fitschen Road
Athens, IL 62613
Ph: 217-636-7500
Fax: 217-636-7548
Email: istc1@sbcglobal.net

Send To:
MAN PLAN INC
8810 BUCKHART ROAD
ROCHESTER, IL 62563

Report Date:
11/15/2010
Report Number:
1005871
Operator:
DECLERCK BROS

Farm: DECLERCK BROS
Field: A
Acres: 0.00



Soil Analysis Report												
Sample Number	Lab Number	Organic Matter ENR (ppm)	Phosphorus	Potassium	Magnesium	Calcium	pH		Cation Exchange Capacity	Percent Base Saturation (computed)		
			P (lbs)	K (lbs)	Mg (lbs)	Ca (lbs)	Soil pH	Buffer pH		% K	%Mg	% Ca
11	10084898	3.0	338	697	652	6129	6.6	7.0	19.4	4.6	14.0	78.9
12	10084899	2.9	678	876	805	8149	6.6	7.0	25.3	4.4	13.2	80.4
13	10084900	3.0	455	928	659	7325	6.5	7.0	22.7	5.2	12.1	80.5
14	10084901	3.1	544	691	785	7936	6.7	7.0	24.5	3.6	13.3	81.0
15	10084902	2.7	264	384	1259	6382	6.7	7.0	22.2	2.2	23.6	71.9
16	10084903	2.6	134	405	1481	6703	6.5	7.0	23.9	2.2	25.8	70.0
17	10084904	2.9	149	462	1066	5476	6.4	7.0	19.2	3.1	23.1	71.2
18	10084905	2.7	297	408	1281	6348	6.7	7.0	22.2	2.4	24.0	71.4
19	10084906	2.8	247	462	727	4969	6.5	7.0	16.5	3.6	18.3	75.1
20	10084907	2.8	183	550	852	5685	7.0	7.0	18.5	3.8	19.2	77.0

Field Average:	2.9	155	430	875	6575	6.7	7.0
----------------	-----	-----	-----	-----	------	-----	-----

[illegible]