

NOTES TO REVIEWERS

MWWSH

This dairy facility consists of 1400 head of dairy cattle. The cattle are housed in freestall buildings and all waste is transferred to the existing earthen storages. The existing earthen storages will provide over a year of waste storage.

In the rare circumstance that a mortality occurs the facility uses a rendering service to dispose of the mortality. Mortalities have been placed in a drive area until such time as the rendering service picks up. Facility is aware of the requirements of 40 CFR 122.42 E.1. ii. and are exploring options to place the mortalities under roof until such time as the rendering service can pick them up. The facility will either use an existing building (not used for livestock) or construct a building specifically for mortalities. The rendering service typically picks up the next day after being contacted. If a mortality occurs during the weekend the rendering service would pick up the following Monday.

Land Treatment

All fields meet T under planned management and rotations.

Nutrient Management

Producer has 1,290 acres of land available for manure application that is part of the dairy facility. Soil tests are available for only a portion of the fields. For those acres where soil tests are not available manure applications were planned at a P rate. For those fields with soil tests fields that exceed 300 lbs/acre P test, no applications are to take place until such time in which it can be shown that the soil test levels have decreased to levels below 300 lbs/acre. Recommendations are to get soil tests up to date on all acres where applications are to take place. Soil tests are to be taken on 2.5 acre grids.

Producer has manure analysis for the facility; however the manure analysis was taken prior to the addition of the larger holding pond and the collection of waste from the concrete pad. This manure analysis has been used to estimate the manure analysis of the current facility. It is recommended that the producer take manure analysis from the current facility to verify the analysis.

NPDES Documentation Index

<i>Documentation</i>		<i>Location in Document</i>
General Facility Information		
	General Facility Information	Section 2 & 6
	Personnel Information	Section 8
	Emergency Contacts	Section 8
	Facility Infrastructure	Section 5 & 6
	Summary of Maps	
	<i>Topographic Map, Aerial Map, Flood Zone Map, Plat Map</i>	Section 4
	<i>Soil Maps</i>	Section 28 & 29
Facility/Production Area Information		
	Facility Working and Design Capacity	Section 7
	Storm Water Pollution Prevention	Section 17
	Facility/Production Area Storm Water Pollution Prevention Plan	Section 17
	Mortality Disposal Options	Section 12
	Mortality Disposal Discharge Prevention Best Management Practices	Section 10
	Mortality Disposal - Record Sheet	Section 31
	Yearly Mortality Summary Table	Section 31
	Chemical Wastes and Raw Materials Discharge Prevention	Section 17
	Use Exclusion (Fencing Livestock from Surface Water)	N/A
	Temporary Manure Stack Discharge Prevention	N/A
	Facility Maps	Section 4
Manure Storage Information		
	Manure Storage Descriptions and Dimensions	Section 6 & 7
	Determination of Manure Storage Working Volume and Annual Manure Production	Section 7
	Storage Volume Calculation and Determination of Adequate Size	Section 7
Manure Analysis Information		
	Manure Sample Analysis Results - Summary of All Manure Storages	Section 26
Fields - Maps, Management Practices, and Soil Tests		
	Field Maps	Section 28 & 29
	Field Summary Legend	Section 23
	Applied Field Assessment and Practices	Section 28 & 29
	Summary Table of Soil Samples for All Fields	Section 25
	Subsurface Drainage Inspection and Monitoring Plan	Section 18
	Inspection, Monitoring, Management and Repair of Subsurface Tile Drainage	Section 18
Lease Agreements for Application Fields		
	Lease Agreements for Application Fields	Section 27

NPDES Documentation Index

<i>Documentation</i>		<i>Location in Document</i>
Justification of Proven Yield		
	Proven Yield Justification	Section 23
Crop Rotation and Nutrient Needs Print Individual Forms		
	Planned Manure Applications	Section 28-30
	Crop Rotation and Nutrient Needs	Section 23, 28 & 29
Planned Field Application Summary		
	Manure Application Equipment Methods	Section 6 & 10
	Planned Field Application Summary Page	Section 21
Manure Storage Inspection		
	Manure Storage Facility Inspection Log	Section 31
	Other Manure Storage Best Management Practices	Section 10
	Rainfall Records	Section 31
	Manure Storage Pumping Levels Log	Section 31
	Manure Handling System Maintenance Record	Section 31
	Storm Water/Pollution Prevention System Inspection Form	Section 17
	Water Supply Inspection Form	Section 31
Records of Manure Application		
	Field Application Record	Section 30
	Off-Site Transfer of Manure to Third Parties	Section 31
	Inspection Log for Application Equipment	Section 31
Manure Application Equipment Calibration		
	Check Calibration Method Used	Section 31
	Load Area Method of Calibration	Section 10
Emergency Response Plans		
	Emergency Phone Numbers	Section 8
	Fire Emergency Response Information Sheet	Section 8
	Location of Pre-Arranged Emergency Equipment and Supplies	Section 8
	Emergency Action Plans	Section 8
	Emergency Map	Section 8

Rancho Cantera Info

To meet Dept. of Ag requirements, you need to:

Soil Test

Take annual manure analyses (at least until stable)

Apply at agronomic rates according to analyses

Obey setbacks

200' from water

200' from wells (NRCS requirement)

¼ mi. from residences IF you have to surface apply

no setback from residences IF injecting

To meet CAFO requirements:

You do NOT need a NPDES permit, UNLESS you discharge

Your facility should be a “no discharge” facility, EXCEPT in the case of a tanker turnover or accident, or drag hose rupture AND that spill reaches a “navigable water” (navigable is yet to be defined)

You DO NOT have a discharge based on land application (i.e. large unexpected rainfall after an application causes a fish kill downstream), IF you have a nutrient management plan, AND you are following it!

To meet IEPA requirements, all records shall be maintained in accordance with section 4.e. (i-x) of the general permit.